INDEX TO AUTHORS

A

Alsberg, C. L. See DILL and ALSBERG, 279

Andrews, James C. The optical activity of cystine, 147

—. The oxidation of cystine, 161

Atchley, Dana W., and **Nichols, Emily G.** The influence of protein concentration on the conductivity of human serum, 729

B

Barkus, O. See MORGULIS and BARKUS, 1

Baudisch, Oskar. See WELO and BAUDISCH, 215

Bazin, Eleanor V. See RABINOWITCH, 55

Becker, J. Ernestine. See MCCOLLUM, SIMMONDS, BECKER, and SHIPLEY, 97

Burrell, Robin C., and **Phillips, Thomas G.** The determination of nitrate nitrogen in plants, 229

C

Calvin, Dea B. See HENDRIX and CALVIN, 197

Chambers, W. H., and **Deuel, H. J., Jr.** Animal calorimetry. Thirtieth paper. The metabolism of glycero· in phlorhizin diabetes, 21

Chambers, W. H. See DEUEL and CHAMBERS, 7

Clark, Guy W. Acid- and base-forming elements in foods, 597

Collins, Arnold M. See JACOBS and COLLINS, 491

Cook, Donald H. Temperature coefficients of enzymic activity and the heat destruction of pancreatic and malt amylases, 135

Cori, Carl F., and **Cori, Gerty T.** The carbohydrate metabolism of tumors. II. Changes in the sugar, lactic acid, and CO_2-combining power of blood passing through a tumor, 397

Cori, Gerty T. See CORI and CORI, 397

D

Denis, W., and **Leche, Stella.** On the distribution of injected sulfates in tissues, 565

— and —. A method for the determination of total sulfates in tissues, 561

Deuel, H. J., Jr., and **Chambers, W. H.** The rate of elimination of ingested sugars in phlorhizin diabetes, 7

XUM

Deuel, H. J., Jr. See CHAMBERS and DEUEL, 21
Dill, D. B., and **Alsberg, C. L.** Preparation, solubility, and specific rotation of wheat gliadin, 279
Doolittle, Dortha Bailey. See SMITH and DOOLITTLE, 665

E

Eagles, Blythe A. See HUNTER and EAGLES, 623
Elvehjem, C. A. See HART, STEENBOCK, ELVEHJEM, and WADDELL, 67

F

Frith, Althea B. See RABINOWITCH, 55, 617

G

Garlock, Bertha. See HELLER, MCELROY, and GARLOCK, 255
Gersdorff, Charles E. F. See JONES, MOELLER, and GERSDORFF, 59
Goldberg, S. A. See MAYNARD, GOLDBERG, and MILLER, 643
Gortner, Ross Aiken. See HOFFMAN and GORTNER, 371

H

Haden, Russell L., and **Orr, Thomas G.** Chemical findings in the blood of the normal dog, 479
Haller, H. L. See LEVENE and HALLER, 49
Halpin, J. G. See HART, STEENBOCK, LEPKOVSKY, KLETZIEN, HALPIN, and JOHNSON, 579
Hamilton, Bengt. A comparison of the concentrations of inorganic substances in serum and spinal fluid, 101
Harned, Ben K. The sugar content of blood, 555
Hart, E. B., Steenbock, H., Elvehjem, C. A., and **Waddell, J.** Iron in nutrition. I. Nutritional anemia on whole milk diets and the utilization of inorganic iron in hemoglobin building, 67
—, —, and **Lepkovsky, S.** Is the antirachitic factor of cod liver oil, when mixed with ground grains, destroyed through storage? 571
—, —, —, **Kletzien, S. W. F., Halpin, J. G.,** and **Johnson, O. N.** The nutritional requirement of the chicken. V. The influence of ultraviolet light on the production, hatchability, and fertility of the egg, 579
Hastings, A. Baird, and **Sendroy, Julius, Jr.** The effect of variation in ionic strength on the apparent first and second dissociation constants of carbonic acid, 445
—, —, and **Robson, William.** Studies of acidosis. XXI. The colorimetric determination of the pH of urine, 381
—. See MURRAY and HASTINGS, 265
—. See VAN SLYKE, HASTINGS, MURRAY, and SENDROY, 701
Heller, V. G., McElroy, C. H., and **Garlock, Bertha.** The effect of the bacterial flora on the biological test for vitamin B, 255

Henderson, L. J., and **Murray, C. D.** Blood as a physico-chemical system. III. Deductions concerning the capillary exchange, 407

Hendrix, Byron M., and **Calvin, Dea B.** The loss of bases in diuresis and its effect upon the alkali reserve of the blood, 197

Hjort, Axel M. The influence of orally administered calcium salts on the serum calcium of normal and thyreoparathyroprivic dogs, 783

—, **Robison, S. C.,** and **Tendick, F. H.** An extract obtained from the external bovine parathyroid glands capable of inducing hypercalcemia in normal and thyreoparathyroprivic dogs, 117

Hoffman, Walter F. Sulfur in proteins. II. The effect of mild alkaline hydrolysis upon hair, 251

— and **Gortner, Ross Aiken.** The electrodialysis of agar. A method for the preparation of the free agar-acid, 371

Holbøll, Svend Aage. See Lundsgaard and Holbøll, 305, 323, 343, 363

Hunter, George, and **Eagles, Blythe A.** The isolation from blood of a hitherto unknown substance, and its bearing on present methods for the estimation of uric acid, 623

J

Jacobs, Walter A., and **Collins, Arnold M.** Strophanthin. VIII. The carbonyl group of strophanthidin, 491

Johnson, O. N. See Hart, Steenbock, Lepkovsky, Kletzien, Halpin, and Johnson, 579

Jones, D. Breese, Moeller, Otto, and **Gersdorff, Charles E. F.** The nitrogen distribution and percentages of some amino acids in the muscle of the shrimp, *Peneus setiferus* (L.), 59

K

Kletzien, S. W. F. See Hart, Steenbock, Lepkovsky, Kletzien, Halpin, and Johnson, 579

L

Leche, Stella. See Denis and Leche, 561, 565

Lepkovsky, S. See Hart, Steenbock, and Lepkovsky, 571

—. See Hart, Steenbock, Lepkovsky, Kletzien, Halpin, and Johnson, 579

Levene, P. A. The mucoproteins of the snails, *Helix aspersa* and *Helix pomatia*, 683

— and **Haller, H. L.** The configurational relationships between β-hydroxy acids and α-hydroxy acids and between the latter and secondary alcohols, 49

— and **Meyer, G. M.** The numerical values of the optical rotation of methylated gluconic acids and of their salts, 535

— and **Mikeska, L. A.** On the oxidation of secondary

mercaptans into corresponding sulfonic acids, 515
Levene, P. A., and **Mikeska, L. A.** Substitution by halogen of the hydroxyl in secondary alcohols, 507
— and **Rolf, Ida P.** Bromolecithins. I. Fractionation of brominated soy bean lecithins, 545
— and **Simms,** H. S. The dissociation constants of plant nucleotides and nucleosides and their relation to nucleic acid structure, 519
— and —. Lactone formation from mono- and dicarboxylic sugar acids, 31
— and **Sobotka, Harry.** Synthetic nucleosides. I. Theophylline pentosides, 463
— and —. II. Substituted uracil xylosides, 469
— and —. The thio-sugar from yeast, 551
— and **van der Hoeven, B. J. C.** The concentration of vitamin B. II, 483
Lewis, Howard B. The metabolism of sulfur. IX. The effect of repeated administration of small amounts of cystine, 187
Liljestrand, S. H., and **Wilson, D. Wright.** The excretion of lactic acid in the urine after muscular exercise, 773
Long, W. L. See Wilson, Long, Thompson, and Thurlow, 755
Lundsgaard, Christen, and **Holbøll, Svend Aage.** Studies in carbohydrate metabolism. II. Investigations into the mutarotation of β-glucose under various conditions, 305
Lundsgaard, Christen, and **Holbøll, Svend Aage.** III. Investigations into the nature of the glucose in the blood of normal individuals, 323
— and —. IV. Investigations into the nature of the glucose in the blood of patients with diabetes mellitus and of patients with benign glycosuria, 343
— and —. V. Investigations into the form of glucose in different body fluids, 363

M

Maynard, L. A., Goldberg, S. A., and **Miller, R. C.** The influence of sunlight on bone development in swine, 643
McCollum, E. V., Simmonds, Nina, Becker, J. Ernestine, and **Shipley, P. G.** Studies on experimental rickets. XXVI. A diet composed principally of purified foodstuffs for use with the "line test" for vitamin D studies, 97
McElroy, C. H. See Heller, McElroy, and Garlock, 255
Meyer, G. M. See Levene and Meyer, 535
Mikeska, L. A. See Levene and Mikeska, 507, 515
Miller, R. C. See Maynard, Goldberg, and Miller, 643
Moeller, Otto. See Jones, Moeller, and Gersdorff, 59

Morgan, William O. P. See MURRAY and MORGAN, 419

Morgulis, Sergius, and **Barkus, O.** Studies on glycolysis *in vitro*, 1

Murray, Cecil D., and **Hastings, A. Baird.** The maintenance of carbonic acid equilibrium in the body, with especial reference to the influence of respiration and kidney function on CO_2, H^+, HCO_3', and CO_3'' concentrations in plasma, 265

— and **Morgan, William O. P.** Oxygen exchange, blood, and the circulation. A coordinated treatment of the factors involved in oxygen supply on the basis of the diffusion theory, 419

—. See HENDERSON and MURRAY, 407

—. See VAN SLYKE, HASTINGS, MURRAY, and SENDROY, 701

N

Nichols, Emily G. See ATCHLEY and NICHOLS, 729

O

Okey, Ruth, and **Robb, Elda I.** Studies of the metabolism of women. I. Variations in the fasting blood sugar level and in sugar tolerance in relation to the menstrual cycle, 165

Orr, Thomas G. See HADEN and ORR, 479

P

Phillips, Thomas G. See BURRELL and PHILLIPS, 229

R

Rabinowitch, I. M. Blood sugar time curves following the ingestion of dihydroxyacetone, 55

—. Urea tests of renal efficiency. I, 617

Robb, Elda I. See OKEY and ROBB, 165

Robison, S. C. See HJORT, ROBISON, and TENDICK, 117

Robson, William. See HASTINGS, SENDROY, and ROBSON, 381

Rolf, Ida P. See LEVENE and ROLF, 545

Ross, Effie C. See STADIE and ROSS, 735

Rothwell, Carmen S. Direct precipitation of calcium in cows' milk, 129

S

Salmon, W. D. Vitamin B in the excreta of rats on a diet low in this factor, 457

Scott, D. A. A further investigation of the chemical properties of insulin, 601

Sendroy, Julius, Jr. See HASTINGS and SENDROY, 445

—. See HASTINGS, SENDROY, and ROBSON, 381

—. See VAN SLYKE, HASTINGS, MURRAY, and SENDROY, 701

Shipley, P. G. See MCCOLLUM, SIMMONDS, BECKER, and SHIPLEY, 97

Simmonds, Nina. See MCCOLLUM, SIMMONDS, BECKER, and SHIPLEY, 97

Simms, H. S. See LEVENE and SIMMS, 31, 519
Smith, H. Monmouth, and **Doolittle, Dortha Bailey.** Energy expenditure of women during horizontal walking at different speeds, 665
Sobotka, Harry. See LEVENE and SOBOTKA, 463, 469, 551
Stadie, William C., and **Ross, Effie C.** A micro method for the determination of base in blood and serum and other biological materials, 735
Steenbock, H. See HART, STEENBOCK, ELVEHJEM, and WADDELL, 67
—. See HART, STEENBOCK, and LEPKOVSKY, 571
—. See HART, STEENBOCK, LEPKOVSKY, KLETZIEN, HALPIN, and JOHNSON, 579
Stern, Hans T. The colorimetric pH test of water or unbuffered solutions, 677
Sumner, James B. A more specific reagent for the determination of sugar in urine, 393

T

Tendick, F. H. See HJORT, ROBISON, and TENDICK, 117
Thompson, H. S. See WILSON, LONG, THOMPSON, and THURLOW, 755
Thurlow, Sylva. See WILSON, LONG, THOMPSON, and THURLOW, 755

U

Updegraff, Helen. See LEWIS, 187

V

van der Hoeven, B. J. C. See LEVENE and VAN DER HOEVEN, 483
Van Slyke, Donald D., Hastings, A. Baird, Murray, Cecil D., and **Sendroy, Julius, Jr.** Studies of gas and electrolyte equilibria in blood. VIII. The distribution of hydrogen, chloride, and bicarbonate ions in oxygenated and reduced blood, 701
Vickery, Hubert Bradford. Some nitrogenous constituents of the juice of the alfalfa plant. IV. The betaine fraction, 81
—. VI. Asparagine and amino acids in alfalfa, 657
— and **Vinson, Carl G.** Some nitrogenous constituents of the juice of the alfalfa plant. V. The basic lead acetate precipitate, 91
Vinson, Carl G. See VICKERY and VINSON, 91

W

Waddell, J. See HART, STEENBOCK, ELVEHJEM, and WADDELL, 67
Welo, Lars A., and **Baudisch, Oskar.** On the catalytically active and inactive forms of ferric oxide, 215
Wesson, Laurence G. On a possible relationship of arachidonic acid to the saturated fatty acids in fatty acid metabolism, 235
Wilson, D. Wright, Long, W. L., Thompson, H. C., and **Thurlow, Sylva.** Changes in the composition of the urine after muscular exercise, 755
—. See LILJESTRAND and WILSON, 773

INDEX TO SUBJECTS.

A

Acetate:
Lead, basic, precipitated from alfalfa (VICKERY and VINSON) 91

Acid(s):
-forming elements in foods (CLARK) 597

Acidosis:
XXI (HASTINGS, SENDROY, and ROBSON) 381

Agar-acid:
Free, method for preparation (HOFFMAN and GORTNER) 371

Agar-agar:
Electrodialysis (HOFFMAN and GORTNER) 371

Alcohol:
Secondary, α-hydroxy acids and, β-hydroxy acids and α-hydroxy acids, configurational relation (LEVENE and HALLER) 49
—, hydroxyl, substitution by halogen (LEVENE and MIKESKA) 507

Alfalfa:
Amino acid (VICKERY) 657
Asparagine (VICKERY) 657
Juice, nitrogenous constituents. IV (VICKERY) 81
—, — —. V (VICKERY and VINSON) 91
—, — —. VI (VICKERY) 657

Alkali:
Hydrolysis, mild, on hair (HOFFMAN) 251
Reserve, blood, effect of loss of bases in diuresis (HENDRIX and CALVIN) 197

Amino acid(s):
Alfalfa (VICKERY) 657
Peneus setiferus, muscle, percentages (JONES, MOELLER, and GERSDORFF) 59
Shrimp, muscle, percentages (JONES, MOELLER, and GERSDORFF) 59

Amylase:
Malt, heat destruction (COOK) 135
Pancreas, heat destruction (COOK) 135

Anemia:
Nutritional, on whole milk diets (HART, STEENBOCK, ELVEHJEM, and WADDELL) 67

Arachidonic acid:
Metabolism, fatty acid, saturated fatty acids in, relation (WESSON) 235

Asparagine:
Alfalfa (VICKERY) 657

Aspersa:
Helix, mucoproteins (LEVENE) 683

XUM

B

Bacterium:
Flora, bacterial, effect on biological test for vitamin B (HELLER, MCELROY, and GARLOCK) 255
Base:
Biological material, micro method, determination (STADIE AND ROSS) 735
Blood, micro method, determination (STADIE and ROSS) 735
Diuresis, loss, effect on alkali reserve of blood (HENDRIX and CALVIN) 197
-forming elements in foods (CLARK) 597
Lead acetate, precipitated from alfalfa (VICKERY and VINSON) 91
Serum, micro method, determination (STADIE and ROSS) 735
Betaine:
Alfalfa (VICKERY) 81
Bicarbonate:
Concentration in plasma, influence of kidney function (MURRAY and HASTINGS) 265
— — —, influence of respiration (MURRAY and HASTINGS) 265
Ion, in blood, oxygenated, distribution (VAN SLYKE, HASTINGS, MURRAY, and SENDROY) 701
—, — —, reduced, distribution (VAN SLYKE, HASTINGS, MURRAY, and SENDROY) 701
Biology:
Base, in biological materials, micro method, determination (STADIE and ROSS) 735
Vitamin B, biological test for, effect of bacterial flora (HELLER, MCELROY, and GARLOCK) 255
Blood:
Alkali reserve, effect of loss of bases in diuresis (HENDRIX and CALVIN) 197
Base, micro method, determination (STADIE and ROSS) 735
Carbon dioxide-combining power, changes while passing through tumor (CORI and CORI) 397
Chemical findings, of normal dog (HADEN and ORR) 479
Equilibrium, electrolyte. VIII (VAN SLYKE, HASTINGS, MURRAY, and SENDROY) 701
—, gas. VIII (VAN SLYKE, HASTINGS, MURRAY, and SENDROY) 701
Glucose, of normal individuals (LUNDSGAARD and HOLBØLL) 323
—, — patients with benign glycosuria (LUNDSGAARD and HOLBØLL) 343
—, — — — diabetes mellitus (LUNDSGAARD and HOLBØLL) 343
Isolation of unknown substance from, and its bearing on present

Blood—*continued.*
methods for estimation of uric acid (HUNTER and EAGLES) 623
Lactic acid, changes while passing through tumor (CORI and CORI) 397
Oxygenation, bicarbonate ion distribution (VAN SLYKE, HASTINGS, MURRAY, and SENDROY) 701
—, chloride ion distribution (VAN SLYKE, HASTINGS, MURRAY, and SENDROY) 701
—, hydrogen ion distribution (VAN SLYKE, HASTINGS, MURRAY, and SENDROY) 701
Oxygen exchange, circulation and, treatment on basis of diffusion theory (MURRAY and MORGAN) 419
Physicochemical system. III (HENDERSON and MURRAY) 407
Reduction, bicarbonate ion distribution (VAN SLYKE, HASTINGS, MURRAY, and SENDROY) 701
—, chloride ion distribution (VAN SLYKE, HASTINGS, MURRAY, and SENDROY) 701
—, hydrogen ion distribution (VAN SLYKE, HASTINGS, MURRAY, and SENDROY) 701
Sugar, changes while passing through tumor (CORI and CORI) 397
— content (HARNED) 555
— level, variations in fasting, relation to menstrual cycle (OKEY and ROBB) 165
— time curve following ingestion of dihydroxyacetone (RABINOWITCH) 55
Body:
Equilibrium, carbonic acid (MURRAY and HASTINGS) 265
Bone:
Swine, influence of sunlight on development (MAYNARD, GOLDBERG, and MILLER) 643
Bromolecithin:
I (LEVENE and ROLF) 545
Soy bean, fractionation (LEVENE and ROLF) 545
Buffer:
Solution, unbuffered, colorimetric hydrogen ion concentration test (STERN) 677

C

Calcium:
Precipitation, in cows' milk (ROTHWELL) 129
Serum, normal dogs, influence of orally administered calcium salts (HJORT) 783
—, thyreoparathyroprivic dogs, influence of orally administered calcium salts (HJORT) 783
Calcium salt(s):
Orally administered, serum calcium of normal dogs, influence on, of (HJORT) 783
— —, — — of thyreoparathyroprivic dogs, influence on, of (HJORT) 783

Calorimetry:
Animal. XXX (Chambers and Deuel) 21
Capillary:
Exchange, deductions concerning (Henderson and Murray) 407
Carbohydrate:
Metabolism. II (Lundsgaard and Holbøll) 305
—. III (Lundsgaard and Holbøll) 323
—. IV (Lundsgaard and Holbøll) 343
—. V (Lundsgaard and Holbøll) 363
—, of tumors. II (Cori and Cori) 397
Carbonate:
Concentration in plasma, influence of kidney function (Murray and Hastings) 265
— — —, influence of respiration (Murray and Hastings) 265
Carbon dioxide:
-combining power of blood, changes while passing through tumor (Cori and Cori) 397
Concentration in plasma, influence of kidney function (Murray and Hastings) 265
— — —, influence of respiration (Murray and Hastings) 265
Carbonic acid:
Dissociation constant, first, effect of variation in ionic strength (Hastings and Sendroy) 445
— —, second, effect of variation in ionic strength (Hastings and Sendroy) 445
Equilibrium in body (Murray and Hastings) 265
Carbonyl:
Strophanthidin (Jacobs and Collins) 491
Catalysis:
Ferric oxide, active forms (Welo and Baudisch) 215
— —, inactive forms (Welo and Baudisch) 215
Cattle:
Parathyroid, extract, hypercalcemia in normal dogs induced by (Hjort, Robison, and Tendick) 117
—, —, — — thyreoparathyroprivic dogs induced by (Hjort, Robison, and Tendick) 117
Chicken:
Nutrition, requirement. V (Hart, Steenbock, Lepkovsky, Kletzien, Halpin, and Johnson) 579
Chloride:
Ion, in blood, oxygenated, distribution (Van Slyke, Hastings, Murray, and Sendroy) 701
—, — —, reduced, distribution (Van Slyke, Hastings, Murray, and Sendroy) 701
Circulation:
Oxygen exchange, blood and, treatment on basis of diffusion theory (Murray and Morgan) 419

Cod liver oil:
Antirachitic factor, is it destroyed through storage when mixed with ground grains (HART, STEENBOCK, and LEPKOVSKY) 571
Coefficient:
Temperature, of enzymic activity (COOK) 135
Colorimetry:
Hydrogen ion concentration test of unbuffered solutions (STERN) 677
— — — — of water (STERN) 677
Urine, hydrogen ion, determination (HASTINGS, SENDROY, and ROBSON) 381
Conductivity:
Serum, human, protein concentration on (ATCHLEY and NICHOLS) 729
Configuration:
β-Hydroxy and α-hydroxy acids and α-hydroxy acids and secondary alcohols, relation (LEVENE and HALLER) 49
Cystine:
Optical activity (ANDREWS) 147
Oxidation (ANDREWS) 161
Sulfur, metabolism, effect of small amounts (LEWIS) 187

D

Diabetes:
Mellitus, glucose in blood of patients (LUNDSGAARD and HOLBØLL) 343
Diabetes—*continued.*
Phlorhizin, elimination of ingested sugars (DEUEL and CHAMBERS) 7
—, metabolism of glycerol (CHAMBERS and DEUEL) 21
Diet:
Purified foodstuffs, in line test for vitamin D (MCCOLLUM, SIMMONDS, BECKER, and SHIPLEY) 97
Vitamin B, low, vitamin B in excreta of rats (SALMON) 457
Whole milk, nutritional anemia (HART, STEENBOCK, ELVEHJEM, and WADDELL) 67
Diffusion:
Theory, oxygen supply, treatment on basis (MURRAY and MORGAN) 419
Dihydroxyacetone:
Blood sugar time curve following ingestion (RABINOWITCH) 55
Dissociation constant:
First, carbonic acid, effect of variation in ionic strength (HASTINGS and SENDROY) 445
Nucleoside, plant, nucleic acid structure, relation (LEVENE and SIMMS) 519
Nucleotide, plant, nucleic acid structure, relation (LEVENE and SIMMS) 519
Second, carbonic acid, effect of variation in ionic strength (HASTINGS and SENDROY) 445

XUM

Diuresis:
Base, loss, effect on alkali reserve of blood (HENDRIX and CALVIN) 197

E

Efficiency:
Kidney, urea tests. I (RABINOWITCH) 617

Egg:
Fertility, influence of ultra-violet light (HART, STEENBOCK, LEPKOVSKY, KLETZIEN, HALPIN, and JOHNSON) 579
Hatchability, influence of ultra-violet light (HART, STEENBOCK, LEPKOVSKY, KLETZIEN, HALPIN, and JOHNSON) 579
Production, influence of ultra-violet light (HART, STEENBOCK, LEPKOVSKY, KLETZIEN, HALPIN, and JOHNSON) 579

Electrodialysis:
Agar-agar (HOFFMAN and GORTNER) 371

Electrolyte:
Equilibrium, in blood. VIII (VAN SLYKE, HASTINGS, MURRAY, and SENDROY) 701

Elimination:
Sugar, ingested, in phlorhizin diabetes (DEUEL and CHAMBERS) 7

Energy:
Expenditure of women during horizontal walking at different speeds (SMITH and DOOLITTLE) 665

Enzyme:
Temperature coefficients of enzymic activity (COOK) 135

Equilibrium:
Carbonic acid, in body (MURRAY and HASTINGS) 265
Electrolyte, in blood. VIII (VAN SLYKE, HASTINGS, MURRAY, and SENDROY) 701
Gas, in blood. VIII (VAN SLYKE, HASTINGS, MURRAY, and SENDROY) 701

Excretion:
Lactic acid, in urine, after muscular exercise (LILJESTRAND and WILSON) 773
Vitamin B, in excreta of rats, diet low in vitamin B (SALMON) 457

Exercise:
Muscle, changes in urine, composition after (WILSON, LONG, THOMPSON, and THURLOW) 755

Extract:
Parathyroid, bovine, hypercalcemia in normal dogs induced by (HJORT, ROBISON, and TENDICK) 117
—, —, — — thyreoparathyroprivic dogs induced by (HJORT, ROBISON, and TENDICK) 117

F

Fasting:
Blood sugar level, variations, relation to menstrual cycle (OKEY and ROBB) 165

Fatty acid:
Metabolism, arachidonic acid and saturated fatty acids in, relation (WESSON) 235

Ferric oxide:
Catalysis, active forms (WELO and BAUDISCH) 215
—, inactive forms (WELO and BAUDISCH) 215
Fertilization:
Egg, influence of ultraviolet light (HART, STEENBOCK, LEPKOVSKY, KLETZIEN, HALPIN, and JOHNSON) 579
Fluid:
Spinal, inorganic substances in serum and, comparison of concentrations (HAMILTON) 101
Food:
Acid-forming elements (CLARK) 597
Base-forming elements (CLARK) 597
Purified, diet, in line test for vitamin D (MCCOLLUM, SIMMONDS, BECKER, and SHIPLEY) 97

G

Gas:
Equilibrium, in blood. VIII (VAN SLYKE, HASTINGS, MURRAY, and SENDROY) 701
Gland:
Parathyroid. *See* Parathyroid.
Gliadin:
Wheat, preparation (DILL and ALSBERG) 279
—, solubility (DILL and ALSBERG) 279
—, specific rotation (DILL and ALSBERG) 279
Gluconic acid(s):
Methylated, and their salts, optical rotation (LEVENE and MEYER) 535
Glucose:
Blood, of normal individuals (LUNDSGAARD and HOLBØLL) 323
—, — patients with benign glycosuria (LUNDSGAARD and HOLBØLL) 343
—, — — — diabetes mellitus (LUNDSGAARD and HOLBØLL) 343
Body fluid (LUNDSGAARD and HOLBØLL) 363
β-Glucose:
Mutarotation (LUNDSGAARD and HOLBØLL) 305
Glycerol:
Metabolism, in phlorhizin diabetes (CHAMBERS and DEUEL) 21
Glycolysis:
In vitro (MORGULIS and BARKUS) 1
Glycosuria:
Benign, glucose in blood of patients (LUNDSGAARD and HOLBØLL) 343
Grain:
Cod liver oil, antirachitic factor, is it destroyed through storage when mixed with ground grains (HART, STEENBOCK, and LEPKOVSKY) 571

H

Hair:
Hydrolysis, mild alkaline (HOFFMAN) 251
Halogen:
Hydroxyl, in secondary alcohols, substitution by

Halogen—*continued.*
(Levene and Mikeska) 507
Hatchability:
Egg, influence of ultraviolet light (Hart, Steenbock, Lepkovsky, Kletzien, Halpin, and Johnson) 579
Heat:
Amylase, malt, destruction (Cook) 135
—, pancreatic, destruction (Cook) 135
Helix:
aspersa, mucoproteins (Levene) 683
pomatia, mucoproteins (Levene) 683
Hemoglobin:
Inorganic iron, utilization in building (Hart, Steenbock, Elvehjem, and Waddell) 67
Hydrogen:
Ion concentration in plasma, influence of kidney function (Murray and Hastings) 265
— — — —, influence of respiration (Murray and Hastings) 265
— — test, colorimetric, of unbuffered solutions (Stern) 677
— — —, —, of water (Stern) 677
—, in blood, oxygenated, distribution (Van Slyke, Hastings, Murray, and Sendroy) 701
—, — —, reduced, distribution (Van Slyke, Hastings, Murray, and Sendroy) 701
Hydrogen—*continued.*
Ion, of urine, colorimetric determination (Hastings, Sendroy, and Robson) 381
Hydrolysis:
Alkaline, mild, on hair (Hoffman) 251
α-Hydroxy acid(s):
β-Hydroxy acids and, α-hydroxy acids and secondary alcohols, configurational relation (Levene and Haller) 49
β-Hydroxy acid(s):
α-Hydroxy acids and, α-hydroxy acids and secondary alcohols, configurational relation (Levene and Haller) 49
Hydroxyl:
Alcohol, secondary, substitution by halogen (Levene and Mikeska) 507
Hypercalcemia:
Dog, normal, induced by extract from bovine parathyroid (Hjort, Robison, and Tendick) 117
—, thyreoparathyroprivic, induced by extract from bovine parathyroid (Hjort, Robison, and Tendick) 117

I

Inorganic:
Iron, utilization in hemoglobin building (Hart, Steenbock, Elvehjem, and Waddell) 67
Insulin:
Chemical properties (Scott) 601

In vitro:
Glycolysis (MORGULIS and BARKUS) 1
Ion:
Bicarbonate, in blood, oxygenated, distribution (VAN SLYKE, HASTINGS, MURRAY, and SENDROY) 701
—, — —, reduced, distribution (VAN SLYKE, HASTINGS, MURRAY, and SENDROY) 701
Carbonic acid, first dissociation constant, effect of variation in ionic strength (HASTINGS and SENDROY) 445
— —, second dissociation constant, effect of variation in ionic strength (HASTINGS and SENDROY) 445
Chloride, in blood, oxygenated, distribution (VAN SLYKE, HASTINGS, MURRAY, and SENDROY) 701
—, — —, reduced, distribution (VAN SLYKE, HASTINGS, MURRAY, and SENDROY) 701
Hydrogen, concentration in plasma, influence of kidney function (MURRAY and HASTINGS) 265
—, — — —, influence of respiration (MURRAY and HASTINGS) 265
—, — test, colorimetric, of unbuffered solutions (STERN) 677
—, — —, —, of water (STERN) 677
—, in blood, oxygenated, distribution (VAN SLYKE, HASTINGS, MURRAY, and SENDROY) 701
—, — —, reduced, distribution (VAN SLYKE, HASTINGS, MURRAY, and SENDROY) 701
—, of urine, colorimetric determination (HASTINGS, SENDROY, and ROBSON) 381
Iron:
Inorganic, utilization in hemoglobin building (HART, STEENBOCK, ELVEHJEM, and WADDELL) 67
Nutrition. I (HART, STEENBOCK, ELVEHJEM, and WADDELL) 67

J

Juice:
Alfalfa, nitrogenous constituents. IV (VICKERY) 81
—, — —. V (VICKERY and VINSON) 91
—, — —. VI (VICKERY) 657

K

Kidney:
Concentration in plasma, bicarbonate, influence on, of (MURRAY and HASTINGS) 265
— — —, carbonate, influence on, of (MURRAY and HASTINGS) 265
— — —, carbon dioxide, influence on, of (MURRAY and HASTINGS) 265
— — —, hydrogen ion, influence on, of (MURRAY and HASTINGS) 265

Kidney—*continued.*
Urea tests of efficiency. I (RABINOWITCH) 617

L

Lactic acid:
Blood, changes while passing through tumor (CORI and CORI) 397
Excretion, in urine, after muscular exercise (LILJESTRAND and WILSON) 773

Lactone:
Formation from dicarboxylic sugar acids (LEVENE and SIMMS) 31
— — monocarboxylic sugar acids (LEVENE and SIMMS) 31

Lead:
Acetate, basic, precipitated from alfalfa (VICKERY and VINSON) 91

Light:
Ultra-violet, egg fertility (HART, STEENBOCK, LEPKOVSKY, KLETZIEN, HALPIN, and JOHNSON) 579
—, — hatchability (HART, STEENBOCK, LEPKOVSKY, KLETZIEN, HALPIN, and JOHNSON) 579
—, — production (HART, STEENBOCK, LEPKOVSKY, KLETZIEN, HALPIN, and JOHNSON) 579

M

Malt:
Amylase, heat destruction (COOK) 135

Menstruation:
Blood sugar level, variations in fasting, relation (OKEY and ROBB) 165
Sugar tolerance, variations, relation (OKEY and ROBB) 165

Mercaptan:
Secondary, oxidation, into corresponding sulfonic acids (LEVENE and MIKESKA) 515

Metabolism:
Carbohydrate. II (LUNDSGAARD and HOLBØLL) 305
—. III (LUNDSGAARD and HOLBØLL) 323
—. IV (LUNDSGAARD and HOLBØLL) 343
—. V (LUNDSGAARD and HOLBØLL) 363
—, of tumors. II (CORI and CORI) 397
Fatty acid, arachidonic acid and saturated fatty acids in, relation (WESSON) 235
Glycerol, in phlorhizin diabetes (CHAMBERS and DEUEL) 21
Sulfur. IX (LEWIS) 187
Women. I (OKEY and ROBB) 165

Methylate:
Gluconic acid, methylated, and their salts, optical rotation (LEVENE and MEYER) 535

Milk:
Cow, calcium precipitation in (ROTHWELL) 129
Whole, nutritional anemia on diets (HART, STEEN-

Milk—*continued.*
BOCK, ELVEHJEM, and WADDELL) 67
Mucoprotein:
Helix aspersa (LEVENE) 683
— *pomatia* (LEVENE) 683
Snail (LEVENE) 683
Muscle:
Exercise, changes in urine, composition after (WILSON, LONG, THOMPSON, and THURLOW) 755
—, lactic acid excretion in urine after (LILJESTRAND and WILSON) 773
Peneus setiferus, amino acid percentages (JONES, MOELLER, and GERSDORFF) 59
— —, nitrogen distribution (JONES, MOELLER, and GERSDORFF) 59
Shrimp, amino acid percentages (JONES, MOELLER, and GERSDORFF) 59
—, nitrogen distribution (JONES, MOELLER, and GERSDORFF) 59
Mutarotation:
β-Glucose (LUNDSGAARD and HOLBØLL) 305

N

Nitrate:
Nitrogen, in plant (BURRELL and PHILLIPS) 229
Nitrogen:
Alfalfa juice, nitrogenous constituents. VI (VICKERY) 657
Muscle, of *Peneus setiferus*, distribution (JONES, MOELLER, and GERSDORFF) 59
—, — shrimp, distribution (JONES, MOELLER, and GERSDORFF) 59
Nitrate, in plant (BURRELL and PHILLIPS) 229
Nitrogenous:
Constituent, alfalfa juice. IV (VICKERY) 81
—, — —. V (VICKERY and VINSON) 91
—, — —. VI (VICKERY) 657
Nucleic acid:
Plant nucleoside, dissociation constant, relation (LEVENE and SIMMS) 519
— nucleotide, dissociation constant, relation (LEVENE and SIMMS) 519
Nucleoside:
Plant, dissociation constant, nucleic acid structure, relation (LEVENE and SIMMS) 519
Synthesis. I (LEVENE and SOBOTKA) 463
—. II (LEVENE and SOBOTKA) 469
Nucleotide:
Plant, dissociation constant, nucleic acid structure, relation (LEVENE and SIMMS) 519
Nutrition:
Anemia, on whole milk diets (HART, STEENBOCK, ELVEHJEM, and WADDELL) 67
Chick, requirement. V (HART, STEENBOCK, LEPKOVSKY, KLETZIEN, HALPIN, and JOHNSON) 579

XUM

Nutrition—*continued.*
Iron in. I (HART, STEENBOCK, ELVEHJEM, and WADDELL) 67

O

Oxidation:
Cystine (ANDREWS) 161
Mercaptan, secondary, into corresponding sulfonic acids (LEVENE and MIKESKA) 515
Oxygen:
Exchange, blood and circulation, treatment on basis of diffusion theory (MURRAY and MORGAN) 419
Oxygenation:
Blood, bicarbonate ion distribution (VAN SLYKE, HASTINGS, MURRAY, and SENDROY) 701
—, chloride ion distribution (VAN SLYKE, HASTINGS, MURRAY, and SENDROY) 701
—, hydrogen ion distribution (VAN SLYKE, HASTINGS, MURRAY, and SENDROY) 701

P

Pancreas:
Amylase, heat destruction (COOK) 135
Parathyroid:
Cattle, extract, hypercalcemia in normal dogs induced by (HJORT, ROBISON, and TENDICK) 117
—, —, — — thyreoparathyroprivic dogs induced by (HJORT, ROBISON, and TENDICK) 117
Peneus:
setiferus, muscle, amino acid percentages (JONES, MOELLER, and GERSDORFF) 59
—, —, nitrogen distribution (JONES, MOELLER, and GERSDORFF) 59
Pentoside:
Theophylline (LEVENE and SOBOTKA) 463
Phlorhizin:
Diabetes, elimination of ingested sugars (DEUEL and CHAMBERS) 7
—, metabolism of glycerol (CHAMBERS and DEUEL) 21
Plant:
Nitrogen, nitrate (BURRELL and PHILLIPS) 229
Nucleoside, dissociation constant, nucleic acid structure, relation (LEVENE and SIMMS) 519
Nucleotide, dissociation constant, nucleic acid structure, relation (LEVENE and SIMMS) 519
Plasma:
Bicarbonate concentration, influence of kidney function (MURRAY and HASTINGS) 265
— —, — — respiration (MURRAY and HASTINGS) 265
Carbonate concentration, influence of kidney function (MURRAY and HASTINGS) 265
— —, — — respiration (MURRAY and HASTINGS) 265

Plasma—*continued.*
Carbon dioxide concentration, influence of kidney function (MURRAY and HASTINGS) 265
— — —, influence of respiration (MURRAY and HASTINGS) 265
Hydrogen ion concentration, influence of kidney function (MURRAY and HASTINGS) 265
— — —, influence of respiration (MURRAY and HASTINGS) 265
Pomatia:
Helix, mucoproteins (LEVENE) 683
Precipitation:
Acetate, basic lead, from alfalfa (VICKERY and VINSON) 91
Calcium, in cows' milk (ROTHWELL) 129
Protein:
Concentration, human serum, conductivity (ATCHLEY and NICHOLS) 729
Sulfur. II (HOFFMAN) 251

R

Rachitis:
Cod liver oil, antirachitic factor, is it destroyed through storage when mixed with ground grains (HART, STEENBOCK, and LEPKOVSKY) 571
Reduction:
Blood, bicarbonate ion distribution (VAN SLYKE, HASTINGS, MURRAY, and SENDROY) 701
—, chloride ion distribution (VAN SLYKE, HASTINGS, MURRAY, and SENDROY) 701
Reduction—*continued.*
—, hydrogen ion distribution (VAN SLYKE, HASTINGS, MURRAY, and SENDROY) 701
Renal:
See Kidney.
Respiration:
Concentration in plasma, bicarbonate influence on, of (MURRAY and HASTINGS) 265
— — —, carbonate, influence on, of (MURRAY and HASTINGS) 265
— — —, carbon dioxide, influence on, of (MURRAY and HASTINGS) 265
— — —, hydrogen ion, influence on, of (MURRAY and HASTINGS) 265
Rickets:
XXVI (MCCOLLUM, SIMMONDS, BECKER, and SHIPLEY) 97

S

Salt(s):
Calcium, orally administered, serum calcium of normal dogs, influence on, of (HJORT) 783
—, — —, serum calcium of thyreoparathyroprivic dogs, influence on, of (HJORT) 783
Gluconic acid, methylated, and their salts, optical rotation (LEVENE and MEYER) 535
Serum:
Base, micro method, de-

Serum—*continued.*
termination (STADIE and ROSS) 735
Calcium, normal dogs, influence of calcium salts orally administered (HJORT) 783
—, thyreoparathyroprivic dogs, influence of calcium salts orally administered (HJORT) 783
Human, conductivity, protein concentration on (ATCHLEY and NICHOLS) 729
Inorganic substance, and spinal fluid, comparison of concentrations (HAMILTON) 101
Setiferus:
Penæus, muscle, amino acid percentages (JONES, MOELLER, and GERSDORFF) 59
—, —, nitrogen distribution (JONES, MOELLER, and GERSDORFF) 59
Shrimp:
Muscle, amino acid percentages (JONES, MOELLER, and GERSDORFF) 59
—, nitrogen distribution (JONES, MOELLER, and GERSDORFF) 59
Snail:
Mucoprotein (LEVENE) 683
Soy bean:
Bromolecithin, fractionation (LEVENE and ROLF) 545
Spinal fluid:
See Fluid.
Strophanthidin:
Carbonyl group (JACOBS and COLLINS) 491
Strophanthin:
VIII (JACOBS and COLLINS) 491
Sugar:
Acid, dicarboxylic, lactone formation (LEVENE and SIMMS) 31
—, monocarboxylic, lactone formation (LEVENE and SIMMS) 31
Blood, changes while passing through tumor (CORI and CORI) 397
—, content (HARNED) 555
—, level, variations in fasting, relation to menstrual cycle (OKEY and ROBB) 165
—, time curve following ingestion of dihydroxyacetone (RABINOWITCH) 55
Diabetes, phlorhizin, elimination of ingested (DEUEL and CHAMBERS) 7
Tolerance, variations, relation to menstrual cycle (OKEY and ROBB) 165
Urine, specific reagent for determination (SUMNER) 393
Sulfate:
Tissue, determination (DENIS and LECHE) 561
—, distribution of injected (DENIS and LECHE) 565
Sulfonic acid(s):
Mercaptan, secondary, oxi-

Sulfonic acid(s)—*continued.*
dation, into corresponding (LEVENE and MIKESKA) 515
Sulfur:
Metabolism. IX (LEWIS) 187
Protein. II (HOFFMAN) 251
Sunlight:
Swine, bone, influence on development (MAYNARD, GOLDBERG, and MILLER) 643
Swine:
Bone development, influence of sunlight (MAYNARD, GOLDBERG, and MILLER) 643

T

Temperature:
Coefficient, of enzymic activity (COOK) 135
Theophylline:
Pentoside (LEVENE and SOBOTKA) 463
Thio-sugar:
Yeast (LEVENE and SOBOTKA) 551
Thyreoparathyroprivic:
Dog, hypercalcemia, induced by extract from bovine parathyroid (HJORT, ROBISON, and TENDICK) 117
—, serum calcium, influence of orally administered calcium salts (HJORT) 783
Tissue:
Sulfate, determination (DENIS and LECHE) 561
—, injected, distribution (DENIS and LECHE) 565
Tumor:
Blood, carbon dioxide-combining power, changes while passing through (CORI and CORI) 397
—, lactic acid, changes while passing through (CORI and CORI) 397
—, sugar, changes while passing through (CORI and CORI) 397
Carbohydrate metabolism. II (CORI and CORI) 397

U

Uracil:
Xyloside, substituted (LEVENE and SOBOTKA) 469
Urea:
Kidney efficiency test. I (RABINOWITCH) 617
Uric acid:
Blood, isolation of unknown substance from, and its bearing on present methods of estimating (HUNTER and EAGLES) 623
Urine:
Exercise, muscular, changes in composition after (WILSON, LONG, THOMPSON, and THURLOW) 755
Hydrogen ion, colorimetric determination (HASTINGS, SENDROY, and ROBSON) 381
Lactic acid, excretion, after muscular exercise (LILJESTRAND and WILSON) 773

XUM

Urine—*continued.*
Sugar, specific reagent for determination (SUMNER) 393

V

Vitamin(s):
B, biological test for, effect of bacterial flora (HELLER, MCELROY, and GARLOCK) 255
—, concentration. II (LEVENE and VAN DER HOEVEN) 483
—, in excreta of rats, diet low in vitamin B (SALMON) 457
D, diet of purified foodstuffs in line test for (MCCOLLUM, SIMMONDS, BECKER, and SHIPLEY) 97

W

Water:
Hydrogen ion concentration test, colorimetric (STERN) 677
Wheat:
Gliadin, preparation (DILL and ALSBERG) 279
—, solubility (DILL and ALSBERG) 279
—, specific rotation (DILL and ALSBERG) 279

X

Xyloside:
Uracil, substituted (LEVENE and SOBOTKA) 469

Y

Yeast:
Thio-sugar (LEVENE and SOBOTKA) 551